

Spares



Product Code: GHT 9147

Product: Albright Contactor, Single Pole, 200A, 110V, SW200N-436

Application: Replacement contactor for all 65V heat treatment units with 110V control circuits.



Product Code: GHT 9407

Product: Albright contractor, Double pole, 200A, 110V, SW190-367L

Application: Replacement contactor for all 32V-0V-32V heat treatment units with 110V control circuits.



Product Code: GHT 9126

Product: Albright contactor, single pole, 200A, 110V, SW80-2116L

Application: Replacement single pole contactor for use in 50kVA, 36 way heat treatment units.



Product Code: GHT 9151

Product: Neon Indicator, 110V

Application: Replacement neon indicator light, for all heat treatment units with 110V control circuits.



Product Code: GHT 9153

Product: Panel Mounted Fuse Holder

Application: Replacement 32mm glass cartridge, fuse holder for all heat treatment units.



Product Code: GHT 9032

Product: 110V Panel Mounted Socket

Application: Replacement 110V, 16A, single phase, panel mounted power supply socket.



Product Code: GHT 9021

Product: 300A Female Panel Mounted Twistlock connector

Application: Replacement twistlock socket for 65V output heat treatment units where output is greater than 60A up to 300A.



Product Code: GHT 9167

Product: Energy Regulator, 110V

Application: Replacement energy regulator for use in all heat treatment units.



Product Code: GHT 9149

Product: Albright contactor Repair kit for SW200N (GHT 9147)

Application: For the repair of GHT 9147 & GHT 9148 single pole contactors containing two fixed and one moving contact.



Product Code: GHT 9146

Product: Albright contractor Repair Kit for SW190 (GHT 9407)

Application: For the repair of GHT 9407 double pole contactors containing two fixed and one moving contact.



Product Code: GHT 9719

Product: Albright contactor repair kit for SW80 (GHT 9126)

Application: Replacement contactor repair kit for single pole contactor SW80-2116L GHT 9126 (kit contains one moving and two fixed contacts)



Product Code: GHT 9150

Product: Auto/Manual Rocker Switch

Application: Replacement Auto/Manual operation selector switch for heat treatment units which can utilise manual or automatic temperature control.



Product Code: GHT 9059

Product: 5 Amp Fuse

Application: Replacement fuse for use in all heat treatment units.



Product Code: GHT 9048

Product: Bulgin, Seven Pin, Panel Mounted Plug and Cap

Application: Replacement part for use in Globe's Power Source Transformer units. GHT1001 and GHT 1101.



Product Code: GHT 9044

Product: Panel Mounted Thermocouple Socket, Type K in Yellow

Application: Replacement socket for use in heat treatment units, recorders and programmers.



Product Code: GHT 9169

Product: Aluminium Knob

Application: Replacement knob for energy regulator GHT 9167.

Spares



Product Code: GHT 9413

Product: 50kVA MCCB (three pole : 80A)
Application: Replacement moulded case circuit breaker (MCCB) for 50kVA heat treatment units.



Product Code: GHT 9158

Product: Shunt Trip for Primary MCCB
Application: Replacement shunt trip for MCCB's GHT 9413 & GHT 9157.



Product Code: GHT 9421

Product: Wheel ,150mm Blue Rubber, Fixed
Application: Replacement fixed wheel for use on all heat treatment units.



Product Code: GHT 9154

Product: Fan, 110V
Application: Replacement fan, for all heat treatment units with 110V control circuits.



Product Code: GHT 9171

Product: 200A Ammeter
Application: Replacement ammeter for use in all 65V heat treatment units.



Product Code: GHT 9404

Product: 100A Ammeter
Application: Replacement ammeter for use in mains voltage control unit GHT 8003.



Product Code: GHT 9408

Product: 200A Inline Fuse
Application: Replacement inline 200A fuse for heat treatment units with fused outputs units.



Product Code: GHT 8117

Product: Three Pole Contactor
Application: Replacement three pole contactor for use in mains voltage control unit GHT 8003.



Product Code: GHT 9157

Product: 70kVA MCCB (three pole : 125A)
Application: Replacement moulded case circuit breaker (MCCB) for 70kVA heat treatment units.



Product Code: GHT 9417

Product: Leaf Hinge 50mm x 50mm with Screws
Application: Replacement leaf hinge for use in all heat treatment units.



Product Code: GHT 9420

Product: Wheel ,150mm Blue Rubber on Nylon Swivel with Brake
Application: Replacement wheel with break for use on all heat treatment units.



Product Code: GHT 9155

Product: Fan Guard
Application: Replacement fan guard for 110V fan, GHT 9154.



Product Code: GHT 9172

Product: Current Transformer Coil for 200A Ammeter
Application: Replacement current transformer coil for use in all 65V output heat treatment units.



Product Code: GHT 9405

Product: Current Transformer Coil for 100A Ammeter
Application: Replacement current transformer coil for use in mains voltage control unit GHT 8003.



Product Code: GHT 9720

Product: 200A Fuse Adaptor Kit
Application: For use with 200A inline fuse to retrofit fuse into outputs of existing heat treatment units (three pairs per kit).



Product Code: GHT 8104

Product: Four Pole 400A Load Break Switch
Application: Replacement four pole 400A load break switch for use in mains voltage control unit GHT 8003.

Spares & Consumables




Product Code: GHT 2401

Product: Chino, Non-Linear Fan-fold Chart Paper (ET201) 0-1200°C. Sold individually.
Application: Low cost replacement chart for use with non-linear scale, EH100 series Chino temperature chart recorders.




Product Code: GHT 2402

Product: Chino Linear Fan-fold Chart Paper (EH05035) 0-1200°C. Sold individually.
Application: Low cost replacement chart for use with linear scale AH3000/EH3000/AH4000 Chino temperature recorders.



Product Code: GHT 2409

Product: Chino Non-Linear Fan-fold Chart Paper (ET201) 0-1200°C Original. Sold individually.
Application: Replacement chart for use with non-linear scale, EH100 series Chino temperature chart recorders.



Product Code: GHT 2501

Product: Chino Linear Fan-fold Chart Paper (EH05035) 0-1200°C Original. Sold individually.
Application: Replacement chart for use with linear scale, EH3127-001 Chino temperature chart recorders.



Product Code: GHT 2407

Product: Fuji Fan-fold Chart Paper BL100-B for PHA series. Sold individually.
Application: Replacement chart for use with PHA series Fuji temperature chart recorders.



Product Code: GHT 2404

Product: Chino Recorder Inks -Set of 12
Application: For re-inking Chino temperature recorder ink pads.



Product Code: GHT 2438

Product: Chino Recorder Ink Pad Wheel (Inked)
Application: Replacement ink pad wheel for use with Chino EH series temperature chart temperature recorders.




Product Code: GHT 2439

Product: Chino Recorder Ink Pad Wheel (Not Inked)
Application: Replacement ink pad wheel for use with Chino EH series temperature chart temperature recorders.



Product Code: GHT 2436

Product: Chino Recorder Ink Pads
Application: Pack of 12, replacement ink pads for use with Chino recorder ink pad wheel (GHT 2438 and GHT 2439) in Chino EH series temperature chart recorders.



Product Code: GHT 2482

Product: Report Maker (RM11) Software
Application: For use with Chino hybrid temperature chart recorder AH4712-EOA.



Product Code: GHT 2514

Product: SD Card, 2GB, Industrial Grade
Application: For use with Chino hybrid temperature chart recorder AH4712-EOA.



Product Code: GHT 2406

Product: Chino Cassette Ribbon
Application: Replacement cassette ribbon for AH series Chino temperature chart recorders.



Product Code: GHT 2408

Product: Fuji Printer Head
Application: Replacement printer head for use with PHA series Fuji temperature chart recorders.



Product Code: GHT 2403

Product: Chino Fluorescent Tube.
Application: Replacement fluorescent tube for chart illumination in Chino EH100 series recorders.



Product Code: GHT 2426

Product: Chino Fluorescent Tube Starter
Application: Replacement fluorescent tube starter for use in Chino EH100 series temperature chart recorders.



Product Code: GHT 2476

Product: Recorder Case Rubber Feet
Application: Replacement rubber feet for use on recorder cases.

60A Twistlock Connectors



Product Code: GHT 9001
Product: 60A Male Twistlock Connector Complete Set containing Brass, Sleeve & Pin
Application: Replacement 60A male twistlock connector for ceramic heating elements.



Product Code: GHT 9002
Product: 60A Male Brass Twistlock Connector
Application: Replacement 60A male twistlock brass connector for ceramic heating elements.



Product Code: GHT 9003
Product: 60A Male Twistlock Connector Sleeve
Application: Replacement 60A male twistlock connector sleeve for ceramic heating elements.



Product Code: GHT 9004
Product: 60A Male Twistlock Connector Higher Temperature Sleeve
Application: Higher temperature replacement 60A male twistlock connector sleeve for ceramic heating elements.



Product Code: GHT 9011
Product: 60A Female Panel Mounted Twistlock Connector
Application: Used in 60V output heat treatment units where output is equal to or less than 60A.



Product Code: GHT 9009
Product: 60A Pin
Application: For fixing 60A male and female connector sleeves to 60A brass connectors.



Product Code: GHT 9005
Product: 60A Female Twistlock Connector Complete Set containing Brass, Sleeve & Pin
Application: Replacement 60A female twistlock connector for splitter cables.



Product Code: GHT 9006
Product: 60A Female Brass Twistlock Connector
Application: Replacement 60A female twistlock brass connector for splitter cables.



Product Code: GHT 9007
Product: 60A Female Twistlock Connector Sleeve
Application: Replacement 60A female twistlock connector sleeve for splitter cables.



Product Code: GHT 9008
Product: 60A Female Twistlock Connector Higher Temperature Sleeve
Application: Higher temperature replacement 60A female twistlock connector sleeve for splitter cables.



Product Code: GHT 9010
Product: 60A Male Panel Mounted Twistlock Connector
Application: Used to connect 60V supply to units where in-line connectors are not suitable.

300A Twistlock Connectors



Product Code: GHT 9012
Product: 300A Male Twistlock Connector Complete Set containing Brass, Sleeve & Pin
Application: Replacement 300A male twistlock connector for splitters and cable sets.



Product Code: GHT 9013
Product: 300A Male Brass Twistlock Connector
Application: Replacement 300A male twistlock brass connector for splitters and cable sets.



Product Code: GHT 9014
Product: 300A Male Twistlock Connector Sleeve
Application: Replacement 300A male twistlock connector sleeve for splitters and cable sets.



Product Code: GHT 9016
Product: 300A Female Twistlock Connector Complete Set containing Brass, Sleeve & Pin
Application: Replacement 300A female twistlock connector for cable sets.



Product Code: GHT 9017
Product: 300A Female Brass Twistlock Connector
Application: Replacement 300A female twistlock brass connector for cable sets.



Product Code: GHT 9018
Product: 300A Female Twistlock Connector Sleeve
Application: Replacement 300A female twistlock connector sleeve for cable sets.



Product Code: GHT 9015
Product: 300A Male Twistlock Connector Higher Temperature Sleeve
Application: Higher temperature replacement 300A male twistlock connector sleeve for splitters and cable sets.



Product Code: GHT 9022
Product: 300A Male Panel Mounted Twistlock Connector
Application: Used to connect 60V supply to units where in-line connectors are not suitable.



Product Code: GHT 9020
Product: 300A Pin
Application: For fixing 300A male and female connector sleeves to 300A brass connectors.



Product Code: GHT 9019
Product: 300A Female Twistlock Connector Higher Temperature Sleeve
Application: Higher temperature replacement 300A female twistlock connector sleeve for cable sets.



Product Code: GHT 9021
Product: 300A Female Panel Mounted Twistlock Connector
Application: Replacement twistlock socket for 60V output heat treatment units where output is greater than 60A up to 300A.

Dinse Connectors



Product Code: GHT 9024
Product: Dinse Plug 10/25
Application: 190A d.c. alternative to male 60A twistlock connector.



Product Code: GHT 9023
Product: Dinse Socket 10/25
Application: 190A d.c. alternative to female 60A twistlock connector.



Product Code: GHT 9027
Product: Panel Mounted Dinse Socket 35/50
Application: 325A d.c. alternative to 300A twistlock panel mounted female connector.



Product Code: GHT 9026
Product: Dinse Plug 35/50
Application: 325A d.c. alternative to male 300A twistlock connector.



Product Code: GHT 9025
Product: Dinse Socket 35/50
Application: 325A d.c. alternative to female 300A twistlock connector.

Control Connectors Bulgin and Cannon



Product Code: GHT 9048
Product: Bulgin 7 Pin Panel Mounted Plug and Cap
Application: Replacement part for use in Globe's Power Source Transformer Units, GHT 1001 & GHT 1101.



Product Code: GHT 9050
Product: In-line Cannon Connector Socket
Application: Replacement part for Globe's Bulgin 7 pin plug to 6 socket cannon socket control lead adapter (GHT 3200).



Product Code: GHT 9049
Product: Bulgin 7 Pin Socket
Application: Replacement part for use on control output lead on Globe's range of heat treatment programmer units.



Product Code: GHT 9051
Product: Panel Mounted Cannon Plug
Application: Replacement panel mounted cannon control input plug for use on a range of manufacturers heat treatment units.

Thermocouple Plugs & Sockets



Product Code: GHT 9040

Product: Thermocouple Plug Type K in Yellow with Hollow Pins

Application: For connecting to Type K thermocouple wire and as replacement plug for compensating cables and links.



Product Code: GHT 9041

Product: Thermocouple Socket Type K in Yellow for use with Hollow Pin Plugs

Application: Replacement socket for compensating cables.



Product Code: GHT 9042

Product: Thermocouple Plug Type K in Green with Solid Pins

Application: Solid pin plug, for connecting to Type K thermocouple wire and as replacement plug for compensating cables and links.



Product Code: GHT 9043

Product: Thermocouple Socket Type K in Green for use with Solid Pin Plugs

Application: Replacement socket for compensating cables.



Product Code: GHT 9044

Product: Panel Mounted Thermocouple Socket, Type K in Yellow

Application: Replacement socket for use in heat treatment units, recorders and programmers.



Product Code: GHT 9045

Product: Panel Mounted Thermocouple Socket Type K in Green

Application: Replacement socket for use in heat treatment units, recorders and programmers.



Product Code: GHT 9046

Product: Thermocouple Plug Type K in Yellow with Solid Pins

Application: Solid pin plug, for connecting to Type K thermocouple wire and as replacement plug for compensating cables and links.



Product Code: GHT 9047

Product: Thermocouple Inline Socket Type K in Yellow for use with Solid Pin Plugs

Application: Replacement socket for compensating cables.



Product Code: GHT 9060

Product: Thermocouple Plug Type K 'Quick Wire' in Yellow with Solid Pins

Application: For quick and easy connection to Type K thermocouple wire and as a replacement plug for compensating cables and links.



Product Code: GHT 9077

Product: Thermocouple Socket Type K 'Quick Wire' in Yellow for use with 'Quick Wire' Solid Pin Plugs

Application: Quick and easy to connect, replacement socket for compensating cables.



Product Code: GHT 9078

Product: Thermocouple Plug Type K 'Quick Wire' in Green with Solid Pins

Application: For quick and easy connection to Type K thermocouple wire and as replacement plug for compensating cables and links.



Product Code: GHT 9079

Product: Thermocouple Socket Type K 'Quick Wire' in Green for use with 'Quick Wire' Solid Pin Plugs

Application: Quick and easy to connect, replacement socket for compensating cables.



Product Code: GHT 9075

Product: Miniature Thermocouple Plug Type K in Green

Application: For use with Microcal calibration unit (GHT 2200) and Digital Infrared Thermometer (GHT 9319).



Product Code: GHT 9095

Product: Miniature Thermocouple Plug Type K in Yellow

Application: For use with Microcal Calibration unit (GHT 2200) and Digital Infrared Thermometer (GHT 9319).

110V, 240V Single Phase and 415V Three Phase Plugs & Sockets



Product Code: GHT 9028
Product: 110V In-Line Plug
Application: Replacement 110V, 16A, single phase, in-line power supply plug.



Product Code: GHT 9030
Product: 240V In-Line Plug
Application: Replacement 240V, 16A, single phase, in-line power supply plug.



Product Code: GHT 9029
Product: 110V In-line Socket
Application: Replacement 110V, 16A, single phase, in-line power supply socket.



Product Code: GHT 9031
Product: 240V In-Line Socket
Application: Replacement 240V, 16A, single phase, in-line power supply socket.



Product Code: GHT 9032
Product: 110V Panel Mounted Socket
Application: Replacement 110V, 16A, single phase, panel mounted power supply socket.



Product Code: GHT 9033
Product: 240V Panel Mounted Socket
Application: Replacement 240V, 16A, single phase, panel mounted power supply socket.



Product Code: GHT 9034
Product: 4 Pin, 415V In-line Plug
Application: Replacement 415V, 63A, three phase, in-line power supply plug.



Product Code: GHT 9037
Product: 5 Pin, 415V In-line Plug
Application: Replacement 415V, 63A, three phase and neutral, in-line power supply plug.



Product Code: GHT 9035
Product: 4 Pin, 415V In-line Socket
Application: Replacement 415V, 63A, three phase, in-line, power supply socket.



Product Code: GHT 9038
Product: 5 Pin, 415V In-line Socket
Application: Replacement 415V, 63A, three phase and neutral, in-line power supply socket.



Product Code: GHT 9036
Product: 4 Pin, 415V Panel Mounted Socket
Application: Replacement 415V, 63A, three phase, panel mounted, power supply socket.



Product Code: GHT 9039
Product: 5 Pin, 415V Panel Mounted Socket
Application: Replacement 415V, 63A, three phase and neutral, panel mounted, power supply socket.



Product Code: GHT 9082
Product: 4 Pin 415V In-line Plug 32A
Application: Replacement 415V, 32A three phase in-line power supply plug.



Product Code: GHT 9071
Product: 5 Pin 415V In-line Plug 32A
Application: Replacement 415V, 32A three phase and neutral in-line power supply plug.



Product Code: GHT 9083
Product: 4 Pin 415V In-line Socket 32A
Application: Replacement 415V, 32A, three phase in-line power supply plug.



Product Code: GHT 9084
Product: 5 Pin 415V In-line Socket 32A
Application: Replacement 415V, 32A three phase and neutral in-line power supply plug.

Tools & Thermocouple Attachment Unit Spares



Product Code: GHT 9319

Product: Digital Infrared Thermometer

Application: This digital infrared thermometer features dual laser dot alignment and incorporates a 50:1 optic ratio (target distance/diameter ratio), which enables users to measure the temperature of small target areas from distance. This allows the operator to stand a safe and comfortable distance from the target surface to be measured. Ideal for measuring the temperature of vessels, storage tanks and hot pipes, or any other surface or point to be measured that is difficult or unsafe to reach. Surface temperatures from -59.9°C to 999.9°C with a 0.1°C (-9.9°C to 199.9°C) or 1°C resolution can be measured. The instrument also incorporates a socket for connection to a type K thermocouple.



Product Code: GHT 2200

Product: Microcal 1 Calibration Unit

Application: The Microcal 1 is a thermocouple output simulator, used to accurately calibrate temperature controllers, programmers and recorders. The simulator can be set to a specific °C or °F temperature output, which enables the operator to calibrate instruments which operate in conjunction with thermocouple types K, J, T, R, N, S and E. Each Microcal 1 is supplied with a one metre PVC type K thermocouple lead with miniature connectors and certificate of calibration. Output range for type K thermocouple simulation is -200°C to +1372°C.



Product Code: GHT 9357

Product: Fluke Clamp Meter 400A, 600V, 50/60 Hz

Application: For the measurement of a.c current (ranges 40A/400A) a.c and d.c voltage (range 600V), continuity and resistance (ranges 400.0 Ω/4000 Ω/40.00 kΩ) . This useful meter and designed to perform in the toughest environments and provide noise-free, reliable results users can trust to help troubleshoot and diagnose electrical faults..



Product Code: GHT 4901

Product: Thermocouple Attachment Unit (TAU) Magnet

Application: Replacement (TAU) Magnet



Product Code: GHT 4927

Product: Thermocouple Attachment Unit (TAU) Magnet Assembly

Application: Replacement (TAU) magnet with cable assembly attachment for use with GHT 4001.



Product Code: GHT 4903

Product: Thermocouple Attachment Unit Battery

Application: Replacement (TAU) 12V battery.



Product Code: GHT 4902

Product: Thermocouple Attachment Unit (TAU) Pliers Assembly

Application: Replacement (TAU) pliers with cable assembly attachment.



Product Code: GHT 4904

Product: Thermocouple Attachment Unit Pliers

Application: Replacement (TAU) pliers.



Product Code: GHT 4935

Product: Magnet & Cable Assembly for SW12V

Application: Replacement magnet with cable assembly attachment for use with SW12V (GHT4005).



Product Code: GHT 4933

Product: Pliers, Large for SW12V with Male Dinse Plug

Application: Replacement pliers for attaching thicker wire or pins for use with SW12V.



Product Code: GHT 4962

Product: Pliers, Small Long Nose for SW12V with Male Dinse Plug

Application: Replacement pliers for attaching thinner wire for use with SW12V (GHT4005).



Product Code: GHT 4971

Product: TW158 Pliers & Cable Assembly

Application: Replacement pliers and cable assembly for use with TW158 (GHT 4004).



Product Code: GHT 4970

Product: TW158 Magnet & Cable Assembly

Application: Replacement magnet and cable assembly for use with TW158 (GHT 4004).



Product Code: GHT 4972

Product: AA Industrial Grade Battery

Application: Replacement battery for TW158.



Product Code: GHT 4934

Product: SW12V Male to Female Cable Assembly for Pliers

Application: Replacement male to female assembly for pliers with dines plug and socket for use with SW12V (GHT 4005).

Other Spares



Product Code: GHT 9308

Product: Poldi Pocket Hardness Testing Kit
Application: To measure hardness of steel pipes and fabrications.



Product Code: GHT 9310

Product: Telebrineller Hardness Testing Kit
Application: To measure hardness of steel pipes and fabrications.



Product Code: GHT 9301

Product: Banding Machine - Winder Type
Application: Winder type banding machine for tightening stainless steel banding to secure larger heating element bands.



Product Code: GHT 9303

Product: Stainless Steel Banding 13mm wide, 30m Roll.
Application: Used to secure larger heating element bands to pipes and vessels.



Product Code: GHT 9305

Product: Iron Wire (Approx 25kg Roll)
Application: Used to secure smaller bands of heating elements and insulation mats and blankets.



Product Code: GHT 9313

Product: PVC Tape (Various Colours)
Application: General purpose use, for binding coiled cables when not in use or marking cables.



Product Code: GHT 9317

Product: Copper Shim 13mm, 1kg Roll
Application: For wrapping bare conductors in 10mm² and 16mm² cable prior to attaching twistlock plugs and sockets.



Product Code: GHT 9309

Product: Poldi Test Bars
Application: Spare Poldi test bars for use with Poldi pocket hardness testing kit.



Product Code: GHT 9311

Product: Telebrineller Hardness Bars
Application: Spare Telebrineller test bars for use with Telebrineller hardness testing kit (specify BHN of bar required when enquiring). Sold individually.



Product Code: GHT 9302

Product: Banding Machine - Ratchet Type
Application: Ratchet type banding machine for tightening stainless steel banding to secure larger heating element bands.



Product Code: GHT 9304

Product: Stainless Steel Banding Clips (100 clips per box)
Application: Stainless steel clips for securing stainless steel banding.



Product Code: GHT 9312

Product: Thermocouple Putty (0.5kg jar)
Application: Hardens on the thermocouple hot junction to help avoid inaccurate readings due to possible short circuiting of the two thermocouple wires attached to the workpiece.



Product Code: GHT 9315

Product: Stainless Steel Crimp
Application: Fitted to the end of ceramic heating element tails during manufacture or repair.



Product Code: GHT 9318

Product: Copper Shim 19mm, 1kg Roll
Application: For wrapping bare conductors in 25mm² and 35mm² cable prior to attaching twistlock plugs and sockets.



Product Code: GHT 9316

Product: Stainless Steel Type K Thermocouples with Thermocouple Plug (various sizes available, state diameter and length required when enquiring).
Application: Primarily for use in monitoring temperatures in furnaces.